



Multiband 2G 3G 4G/LTE Antenna



Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant

Features

- Operates in 698-960/1710-2170 MHz and 2500-2700MHz
- Wide band antenna
- Vertical polarization
- High gain of 3.1 dBi
- VSWR 1.5
- Omni-directional pattern

Applications

- 4G/LTE radios
- Gateways
- Set-Top Boxes
- Security
- Transportation
- Smart agriculture

Electrical Characteristics

Parameters	Min.	Typ.	Max.	Units	Notes
Frequency Range	698		960	MHz	
	1710		2170	MHz	
	2500		2700	MHz	
VSWR	1.5		3.1		
Polarization Model	Vertical				
Impedance		50		Ω	
Gain		3		dBi	
Azimuth	Omni-directional				
Power Handling Capacity		50		W	
Lighting Protection	Direct Current earth				

Mechanical Characteristics

Parameters	Description	Note
Connector	SMA-RP	
Cable Type	RG-178	Inside the enclosure, 50 Ω
Radiator	Cuprum	
Enclosure	TPE	
Base	PBT + PC	
Radom Color	Black	

Environmental Characteristics

Parameters	Description	Note
RoHS Compliant	Yes	
MSL	N/A	
Operating temperature	-40 °C to +85 °C	

Product Image



MiotWireless

Miot Wireless Solutions Ltd
<http://www.mioticsolutions.com>
Info@mioticsolutions.com

Multiband 2G 3G 4G/LTE Antenna



Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant






Multiband 2G 3G 4G/LTE Antenna



Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant





Multiband 2G 3G 4G/LTE Antenna



Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant

Radiation Patterns

3D – Pattern






Multiband 2G 3G 4G/LTE Antenna




Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant



750 and 850 MHz Radiation pattern



940 and 1750 MHz Radiation pattern




Multiband 2G 3G 4G/LTE Antenna




Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant



1850 and 1950 MHz Radiation pattern



2100 and 2600 MHz Radiation pattern



Multiband 2G 3G 4G/LTE Antenna




Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant

Frequency (MHz)	Efficiency	Gain (dBi)
700	0.65	0.3
824	0.52	-0.4
868	0.49	0.0
960	0.40	-0.4
1710	0.46	2.0
1850	0.65	1.0
1990	0.56	1.9
2170	0.58	1.5
2690	0.57	1.6

Antenna parameters








Multiband 2G 3G 4G/LTE Antenna



Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant






Multiband 2G 3G 4G/LTE Antenna



Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant





MiotWireless

Miot Wireless Solutions Ltd

<http://www.mioticsolutions.com>

Info@mioticsolutions.com

Multiband 2G 3G 4G/LTE Antenna



Part Number: L-1RA6

168 mm
RoHS/RoHS II Compliant

Packaging

TBD

Caution:

- (1) Do not apply excess mechanical stress to the component body or terminations. Do not attempt to re-form or bend the components as this will cause damage to the component.
- (2) Do not expose the component to open flame.
- (3) This specification applies to the functionality of the component as a single unit. Please ensure the component is thoroughly evaluated in the application circuit.